GOLF CART

BATTERY POWERED RIDE-ON

< 2WD >



Owner's Manual

with Assembly Instructions

Styles and colo(u)rs may vary.
Made in China.

The owner's manual contains important safety information as well as assembly, use and maintenance instructions.
The Ride-on Car must be assembled by an adult who has read and understands the instructions in this manual.
Keep the package away from children and dispose of properly before use.
Keep this manual for future reference.

On the purchase of your new Ride-On.

This ride-on will provide your child with many miles of riding enjoyment. To help ensure a safe ride we ask you to please read this manual carefully, and keep it for future reference.

Please follow the recommendations in this manual, they are designed to improve the safety and operation of your ride-on car and it's rider.

SPECIFICATIONS:

Battery	89k89NU 18	9; kCNU 18
Charger	89k8777 N	9; k8777 N

Suitable age: : C4EB •

Load Capacity: j yz A7 "

Speed: : 4B 6•

Size of ride-on car: 8: 9 1 BD 1 87A Pb

Power way: P•v "" " z

Charge time: D489 •

⚠ WARNING!

CHOKING HAZARD 4h v v 5c ”vwz ' x•”y z yz : B • 5i •z y x x v” v v 3 zz x•”y z v v •z v z w” “5

ADULT ASSEMBLY REQUIRED.

N v z z zx ”z v z ”v v y ww“ v y y” z wz' z v z w 5

e zx ”z z ” z • y wz 5N v zv • z v y ” ” •z zv •z z v ” “ •z z•”x z5

d y ”z z z “ y5c z z z •z v 5

Xzz •v y 3•v”3v y x •z v v ' ” “ v 5

c z z zv z x•”y v z yzy5Q”zx vy z ” ” ” z ”zy5N v zz x•”y ” ”z •z x•”y ” ” z•”x z5

i zy xz •z ” ' ” Ø 3vy z ” ” ” z ”zy5c z z z ” vy v 3 zv z•”x z 3 zv zz ” x ” z z 3 ” ” “ •z w y”z ' v z 3v v zv • z 3v y z z v z •v 8 ”yz 5

c z z z ” v'z x y”” x• v 3 v” 3 z y” 3 y3 v y3 “ v z 3 •z ”z v z ” v z zx zy vxx”yz x• v ” ” “ z 3v y x y yv v“z •z z zx ”xv z ww z

c wz zy ” v'' ”x5

i •” • y wz zy ”• xv ” ” xz ” ” z ”zy v ”y 'v x ” ” xv ” “ ” Ø •z z •”y v ”z 5

i •” ” ”vwz ' x•”y z yz : B • y z ” v ” zzyHb v ” z z”“• ” A7 “5

i •” •v wv z5


⚠ BATTERY INFORMATION

- c 4 zx•v “zvwz ww z ”z v z wz zx•v “zy5
- gzx•v “zvwz ww z ”z v z wz z zy ' •z wz' z wz” “ x•v “zy5
- gzx•v “zvwz ww z ”z v z wz x•v “zy yz vy z ” ” 5
- Q”'z z z ' ww z ”z z v y zy ww z ”z v z wz ”zy5
- Ov z ”z v z wz ” z zy ”• •z x zx v ” 5
- R •v zy ww z ”z v z wz z zy ' •z 5
- i •z z ” v v z wz • 4x”x ”zy5

⚠ WARNING!

i •z z z x ” v 3v y ” v zy wz z v zy w vy 5

UVciFh z v • v z v z wzy w • "yz ' z•"x z



Parts List - 1 | 4

PART NO.	PART NAME	Q'ty (pcs)	REMARKS
1	S z•"x z w y	8	
2	gzv z•"x z w y	8	
3	gzv "zv w	9	
4	gzv •zz	9	
5	S •zz	9	
6	89 v •z	E	e vxzy •z v z
7	b 87 x	B	e vxzy •z v z
8	h " "	;	e vxzy " •z v z w vx v"z
9	U wxv	;	e vxzy " •z v z w vx v"z
10	S v z g	8	
11	S v z a	8	
12	b B 8B vx•" z x z	8	e vxzy •z ' v z g
13	b B x	8	e vxzy •z ' v z g
14	B v •z	8	e vxzy •z ' v z g
15	h v " "	8	e vxzy •z zz " " x
16	b D A7 vx•" z x z	;	e vxzy zv w y
17	b D x	;	e vxzy zv w y
18	P • yz	8	
19	h zz " " •zz	8	
20	S w z	8	
21	gzv v z	8	
22	Uv yz " v y	9	az' v y "•
23	hzv x •"	8	
24	hzv wx	8	
25	j yz v z	8	
26	h v"z wvx z	9	
27	h v"z "	8	
28	h v"z ww z	8	
29	hv y w z • yz	8	
30	hv y w z	8	
31	; 8B x z	A7	
32	b A : 7 vx•" z x z	D	e vxzy ' ' v y zv
33	A x	D	e vxzy ' ' v y zv
34	g '	8	


Parts List - 2 | 5

PART NO.	PART NAME	Q'ty (pcs)	REMARKS
35	g ' ' / 0	9	
36	g ' ' /w 0	9	
37	g ' zv / 0	9	
38	g ' zv /w 0	9	
39	b 87 x z z x•	9	
40	b D x z z x•	8	
41	b D v z	8	
42	P•v "z	8	
43	gz z x z	8	S gP z

Assembly tools required (not included):



hx z y " z




85i •z zv w y ”yz y 5j z v v z
v y v b D x z z x• z z •z b DmA7
w 1; v y D x 1; ' zv w y 5

95S” •z ' w y •z zv w y v • 5


: 5V z •z • zz x zx •z ' w y
• “• •z • z ” •z zv w y 5

; 5hzx z •z ' w y ” “ •z w v y
z zy ” z 85


A5V z •z ” ; 8B x z • “• •z '
w y v y ” zv w y 3v y ”“• z •z ”• v
x z y ” z 5




83955" •z ' w z •z ' wy 3 zx z " "• ; 8B x z 5
: 3 3A5S" v 89 v •z •z ' v z a 3'" •z ' v z a •z w y 3 "• z v x •z
z y ' •z ' v z a "• v b 87 x z z x•5
B3C5S" v 89 v •z •z ' v z g 3'" •z ' v z g •z w y 5
D5R z •z wz z y ' •z zz " " x v z • "• •z • z " •z zz " " " v"z5h "yz v 89
v •z •z wz z y ' •z zz " " x 3'" •z v " " " •z " z •z wz z y ' •z
zz " " x 5
E5i "• z v x •z z y ' •z ' v z g "• v b 87 x z z x•5
875j " " v x z y "z v y " z "z z z •z b B 8B vx•" z x z 3 B v •z v y b B x
' •z zz " " " v"z5NyØ •z "" ' •z ' v z a •v •z zz " " " v"z "z •z v z
' •z ' v z a3v y zx z " "• •z x z 3 v y v •z Ø z zy5



gz z v •z v ' •z ' v z5
85h ”yz v 89 v •z •z ' v z5
95h ”yz v ' •zz •z ' v z5
: 5h ”yz v 89 v •z •z ' v z5
; 5i ”“• z v x •z z y ' •z ' v z ”• v b 87 x z z x•5
z “”•z 5
A5V z v ” ” ” •z • z •z z y ' •z ' v z50z y •z z y ' ” ”
wx ” “ v “ z ”z / ” x yzy05
B5 h v •z • wxv •z •zz 5
gz zv •z vw z xzy z v z wz •z •z v •zz 5
C5ev •z zv v z • “• •z • z ” •z z•”x z w y 5





85h ”yz •z zv “zv w •z zv v z5N y '” •z •z “zv w ” •z v “z • z ” •z w y 5

95S” •z zv •zz •z zv v z5R z •z •zz y ” z ” ”yz •z •zz v x•z ”• •z zv “zv w 5

: 5h ”yz v 89 v •z zv v z5

; 5i ”“• z v 87 x •z z y ' •z zv v z ”• v b 87 x z z x• /” x yzy05

A4D5gz zv z 84; v z wz •z •z zv •zz 5**HINT:** N z v b 87 x z z x• •v wzz ”yzy • y •z x •z •z ”yz ' •z zv v z •”z ”“• z ” “ •z x •z •z ”yz5

E5V z v ” ” ” •z • z •z z y ' •z ' v z5Oz y •z z y ' ” ” wx ” “ v “ z ”z / ” x yzy05

875h v •z • wxv •z •zz 5


e zv z ' •z z 84; vyy •z ww z ”z /c Vx yzyC3v y z'z •z ww z ” ' v ” v“z 95

85l ”• v x z y ” z z •z x z •z ww z x z xv zy ” •z xz z ' •z zz ” “ •zz 5

95gz z •z ww z x z ' •z ' •z ww z x v z 5

: 5V z 9 85Ak NN ww z ”z ” •z” x zx v ” ”z 5


; 5e vxz •z ww z x z z •z ww z x v z v y 'v z ”• •z x z z zy ” z z5




Attach the Steering Wheel

A5i •z z•”x z w y ”“• 5V z •z zz ” “ •zz •z zz ” “ •zz ” v“z3 • ” •zv ” x ”x ” vxz5

HINT: There is an unlock button under the steering wheel, pressing and holding the unlock button can remove the steering wheel easily .






83?5S" •z •v y z " v y •z w y 3" z ; 8B x z v y "•z "•v x z y "z 5
gz zv ' •z •z •v y z " v y5

: 5e " •z w •x zx ' •z ' w y " •z x zx •z zv w y 5**Red/black to Red/black, Yellow/green to Yellow/green.**

4. Plug the light wire connector from the front body into the connector on the rear body.

A5g v z •z x •z w • "yz •z zv x •" •v " xv wz '" •z w y 3v y v z •z x v"v"" x "5




85e vxz •z ' ' v “ y ”• •z w ”yz 'vx” “ 5S” •z ' '
/ 0 •z '3z z a8 a83g8 g85

95hzx z zvx• ' ' / 0 ”• ' ; 8B x z 5

: 5S” •z ' zv / 0 •z '3a9 a93g9 g95

; 5V z ' ; 8B x z ” zvx• ' zv / 0v y ”‘• z ”• v
x z y ” z 5




gz z b A : 7 vx•" z x z v y b A x ' zvx• '
/w 0 "• v x z y " z 5

85S" •z ' ' /w 0 •z ' ' / Œa8 a83g8
g8

95hzx z zvx• ' ' /w 0 "• b A : 7 vx•" z x z v y b A
x 5

: 5S" •z ' zv /w 0 •z ' zv / Œa9 a93g9 g95

; 5hzx z zvx• ' zv /w 0 "• b A : 7 vx•" z x z v y b A
x 5





85S" •z ' •z w y

95V z z"‘• ; 8B x z
v y "‘• z "• v
x z y "z zx z •z
'5

: 5S" zv wwx •z '
zv /w 05

; 5V z z"‘• ; 8B x z
v y "‘• z "• v
x z y "z 5






85e " •z w • x zx ' "zv
w z " •z x zx •z zv
w y 5**Red/black to Red/black, Yellow/green to Yellow/green.**


95S" •z yz v z •z w y 5


: 5V z ' ; 8B x z v y
"• z "• v x z y "z 5

; 5S" •z v"z wvx z
•z v"z " 5

A5V z ; 8B x z v y
"• z "• v x z y "z 5








85S” •z v“z wvx z v z w
•z w y 5e • ” ” •zv ”
x ”x ” vxz5


93 3¸ 5S” •z v y w z • yz 3 v y
w z v y v“z ww z •z
v“z wvx z v • 5





85a z •z x z •z • y
" v x z y " z 5

95d z •z • y5

: 5e " •z x zx •z w z "
•z x zx •z w y 5gz vxz
•z • y5







1. Power button: i •z y x v y ''5

2. Foot pedal: N ”ž z / zzy0 •z y x 5


- i z •z y x 3 z •z zyv y 5
- i wv z y 3 z zv z z z ' •z zyv 5

3. Forward/reverse level: P•v “z •z y”zx ” •v y x z ' ' v y z z z5

- i z •z y x ' v y3 •” •z z z ”” 5
- i z •z y x wx v y3 •” •z z z y ”” 5


IMPORTANT: Always stop vehicle when changing the speed or direction to avoid damage the gears and motor.

4. Sound buttons: e z ' y v ” “5



5. High speed

The high speed lock-out can only be removed by an adult.
Remove the high speed lock-out for high speed.



6. RC-Pedal switch

The RC cover can only be removed by an adult.

- Press the switch to “RC”, and the ride-on will only be controlled by the remote controller.
- Press the switch to “PEDAL”, the ride-on will only be controlled by the driver.

⚠ WARNING!

- **ONLY an adult is allowed charge and recharge the battery!**
- **This product with Charging Protection: when charging, all functions will be cut off.**

i •z edl Rg hl V PU wz zy ” dSS ”” •z x•v “” “5

Oz' z •z '” z3 • y x•v “z •z ww z ' ; 4B • 5Q zx•v “z •z ww z ' z •v 87 • v ”y z •zv ” “ •z x•v “z 5

I •z •z z•”x z wz“” 3 zx•v “z •z ww z 5


N' z zvx• z xz v • ” ” zx•v “z ” z v D 89 • 3 z •v 97 • v 5


j z ww z /”z Ov y x•v “z zx”” zy w •z v 'vx z 5j ” “ v •z ww z x•v “z v xv z v '”z z ” 5Q z •z ww z x•v “z ' v •z y x 5

V ”yz4 ”• v Q”“”v z z /\S Rf j \eeRQQ3 •z v“ ” yz ' v“z ” z • x• z ” z v” ” “ ” •z ww z •z zx•v “z •z ww z 5b v z z •z z•”x z ” !

12V product	**less than 12.5V**	**The battery needs to be charge.**
24V product	**less than 24V**	

Charging Way I





85e “ •z x•v “z ” •z ” x z /a xv zy •z z z' ”yz ' •z yv •Q5

95e “ •z x•v “z “ ” v v z 5i •z ww z ” wz“” x•v “” “5


Battery Disposal

i •z ww z ” z z v z •z vw”” • y v x•v “z5Qz z y” “ •z v ' z3v y v ” “ x y”” 3 •z ww z • y z v z ' z • zz zv 5

V v ! gzx x z •z yzvy ww z z ”w 5i •z ww z x v” zvy vx”y /z zx z0v y wz y” zy ' z v y z“v 5V ” ” z“v ” v zv ” x” z v z zvy vx”y ww z ”z y” z ' •z ” v y'” 5i v z ” v 'zyz v v z4v zy zvy vx”y ww z zx x z 3 x• v xv v ” z ww z z v”z 5

Q • •z ww z v v ”• z“ v • z• y v z!

Charging Way II




NFj z v x z y ”z z •z
x z •z ' •z zv
v y z z •z zv 5

OFj “ •z zy x zx '
zvx• •z 5

P5a z •z ' x z v y
•z ww z w ”• v x z y ”z
v y ” •z ww z w 5

Q5e vxz •z ww z w v ' v
“ y5 e “ •z x•v “z
” •z ” x z •z
ww z w 5

R5e “ •z x•v “z “ ” v v
z 5i •z ww z ” wz“”
x•v “” “5



Problem	Possible Cause	Solution
Vehicle does not run	Battery low on power	Recharge battery.
	Thermal fuse has tripped	Reset fuse, see <Fuse>
	Battery connector or wires are loose	Check that the battery connectors are firmly plugged into each other. If wires are loose around the motor ***contact your distributor please.***
	Battery is dead	Replace battery, ***contact your distributor please.***
	Electrical system is damaged	***Contact your distributor please.***
	Motor is damaged	***Contact your distributor please.***
Vehicle does not run very long	Battery is under charged	Check that the battery connectors are firmly plugged into each other when recharging
	Battery is old	Replace battery, ***contact your distributor please.***
Vehicle runs sluggishly	Battery low on power	Recharge battery, ***contact your distributor please.***
	Battery is old	Replace battery, ***contact your distributor please.***
	Vehicle is overload	Reduce weight on vehicle.
	Vehicle is being used in harsh conditions	Avoid using vehicle in harsh conditions, see <User Notice>.
Vehicle needs a push to go forward	Poor contact of wires or connectors	Check that the battery connectors are firmly plugged into each other. If wires are loose around the motor, ***contact your distributor please.***
	“Dead Spot” on motor	A dead spot means the electric power is not being delivered to the terminal connection and the vehicle needs repair. ***Contact your distributor please.***
Difficult shifting from forward to reverse or vice-versa	Attempting to shift while the vehicle is motion	Completely stop the vehicle and shift, see <Use Your Ride-On>
Loud grinding or clicking noises coming from motor or gear box	Motor or gears are damaged	***Contact your distributor please.***
Battery will not recharge	Battery connector or adapter connector is loose	Check that the battery connectors are firmly plugged into each other.
	Charger not plugged in	Check that the battery charger is plugged into a working wall outlet.
	Charger is not working	***Contact your distributor please.***
Charger feels warm when recharging	This is normal and not a cause for concern	

Completely read through this manual and the troubleshooting guide table before calling. If you still need help resolving the problem ***Contact your distributor please.***

V " v z z "w" x•zx v" v ' •z wz' z " "3b z" v
z v " z ' z "v •v v y3 x• v •z ww z 3x•v "z3xvwz x y3 "3 x z
v z 'v z " " z x z ' •z v v y •v " •z z z ' x• yv v"z3 •z
wz zy " •v yv v"z •vy wzz z z zy5

ev •z z•"x z " y x z " "• v v zx " ' z zv •z 5

gzx•v "z •z ww z v' z zvx• z5d v vy xv •v y z •z ww z 5gzx•v "z
•z ww z v zv xz v • •z •z z•"x z v"yz " wz" " zy5

Q v • •z z•"x z "• v • z5Q v • •z z•"x z "• v v y v z 5Q
y " z •z z•"x z " v" zv •z 5l v z " yv v"z •z 3z zx "x
z v y ww z 5

P zv •z z•"x z "• v ' 3y x •5i z z •" z v "x v 3 z v 4
v ' " z " •5Q z xv v 5Q z vwv " z x zv z 5

I •z " "3v •z z zx "xv xz • y wz ''5i '' •z z "x•
v y y" x zx •z ww z x zx " 5

Fuse

i •z ww z 'zv z v •z v ' z "• v z ' z •v " v v "xv " v y x v
z •z z•"x z " •z 3z zx "x z ww z " z vyzy5i •z ' z "
z z v y z " wz z zy v' z •z " " zy dSS ' 97 zx y v y •z
zy dc v"v" 5V •z •z v ' z " z zv zy y " " v z3 •z z•"x z v
zzy z v" 5**Contact your distributor please.**

i v "y " " z 3' •z z " "yz " z F
- Q z vy •z z•"x z5
- Q v •" " wz•" y •z z•"x z5
- Q y " z zz z 5
- Q y " z " '" zy wØx 3 •"x• v xv z •z •zz " 3xv " " •z z •zv 5
- Q y " z " z • zv •z 3x z v z •zv 5
- Q v v z •z " "y x z " x vx "• •z ww z •z z zx "x x z 5
- Q v z "• •z z zx "x z 5Q " " v x zv z v • 3xv " " •z ' z " 5

RISK OF FIRE. Do not bypass. Replace only with a new fuse.

Our products are suitable for
ASTM F963; GB6675; EN71 and EN62115 standard.